

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5159	(processor near4 core\$) same (PCI or device)	US-PGPUB; USPAT	OR	OFF	2008/08/28 10:00
L2	134	(processor near4 core\$) same (PCI or device) same driver	US-PGPUB; USPAT	OR	OFF	2008/08/28 10:00
L3	49	l2 and (processor same device same (identi\$ or ID or description))	US-PGPUB; USPAT	OR	OFF	2008/08/28 10:01
L4	1	"6553223".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/28 10:59
L5	1	"7187663".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/28 11:03
L6	1	l2 and (processor same device same (identi\$ or ID or description) same bios)	US-PGPUB; USPAT	OR	OFF	2008/08/28 11:14
L7	1	l2 and (processor same device same (identi\$ or ID or description same table) same bios)	US-PGPUB; USPAT	OR	OFF	2008/08/28 11:15
L9	335	(config\$ or reconfig\$) near10 (processor) near10 BIOS	US-PGPUB; USPAT	OR	OFF	2008/08/28 11:44
L10	34	l9 and (processor same device same driver)	US-PGPUB; USPAT	OR	OFF	2008/08/28 11:44
L11	1438	(reserv\$ near10 (processor or core)) same device	US-PGPUB; USPAT	OR	OFF	2008/08/28 11:50
L12	673	(reserv\$ near10 (processor or core)) near10 device	US-PGPUB; USPAT	OR	OFF	2008/08/28 11:51
L13	56	l12 and (device near10 driver)	US-PGPUB; USPAT	OR	OFF	2008/08/28 11:51
L14	0	despriction near10 processor near10 device same BIOS	US-PGPUB; USPAT	OR	OFF	2008/08/28 12:18
L15	0	despriction near10 processor near10 device same registry	US-PGPUB; USPAT	OR	OFF	2008/08/28 12:19
L16	4	description near10 processor near10 device same bios	US-PGPUB; USPAT	OR	OFF	2008/08/28 12:20
L17	1	"5778226".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/28 12:36
L18	1	"6009480".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/28 12:41
L19	880	(chang\$ or modif\$ or alter\$) near10 processor near10 driver	US-PGPUB; USPAT	OR	OFF	2008/08/28 12:59
L20	571	l19 and (device same driver)	US-PGPUB; USPAT	OR	OFF	2008/08/28 13:00

L21	7	l19 and "712".clas.	US-PGPUB; USPAT	OR	OFF	2008/08/28 13:00
L22	7	l19 and "718".clas.	US-PGPUB; USPAT	OR	OFF	2008/08/28 13:09
L23	17	l19 and (device same driver same bios)	US-PGPUB; USPAT	OR	OFF	2008/08/28 13:21
L24	23	l19 and (processor same driver same (device same description))	US-PGPUB; USPAT	OR	OFF	2008/08/28 13:24
L25	1	"7251746".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/28 14:46
L26	1	"6163793".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/28 16:42
L27	4	bus adj config\$ adj header	US-PGPUB; USPAT	OR	OFF	2008/08/28 18:12
S1	20	((RAYMOND) near2 (TETRICK)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/17 13:21
S2	3	((RAYMOND) near2 (TETRICK)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/01/17 11:18
S3	2649	(prevent\$ or disbal\$5 or block \$4) same (processing unit) same (bootup\$ or bios\$)	US-PGPUB; USPAT	OR	OFF	2008/01/17 13:22
S4	1777	(prevent\$ or disbal\$5 or block \$4) same (processing unit) same (bootup\$ or BIOS)	US-PGPUB; USPAT	OR	OFF	2008/01/17 13:23
S5	613	(prevent\$ or disbal\$5 or block \$4) near10 (processing unit) same (bootup\$ or BIOS)	US-PGPUB; USPAT	OR	OFF	2008/01/17 13:34
S6	7376	"718".clas.	US-PGPUB; USPAT	OR	OFF	2008/01/17 13:31
S7	11	S6 and S5	US-PGPUB; USPAT	OR	OFF	2008/01/17 13:31
S8	68	(prevent\$ or disbal\$5) near10 (processing unit) same (bootup\$ or BIOS)	US-PGPUB; USPAT	OR	OFF	2008/01/17 13:36
S9	53	(prevent\$ or disbal\$5) near10 (processor\$ or (processing adj unit\$5)) same (bootup\$ or BIOS)	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:33
S10	173	(prevent\$ or disbal\$5) near10 (processor\$ or (processing adj unit\$5)) same (bootup\$ or BIOS)	US-PGPUB; USPAT	OR	OFF	2008/01/17 15:56
S11	14	S10 and S6	US-PGPUB; USPAT	OR	OFF	2008/01/17 13:38

S12	21	("5027273"   "5319772"   "5453904"   "5475324"   "5485147"   "5511205"   "5760636"   "5852731"   "5903599"   "5909594"   "5913068"   "5928322"   "5994844"   "6055577"   "6098123"   "6118306"   "6131166"   "6219742"   "6272642"   "6412021"   "6418535").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/17 14:53
S13	3	(enable\$ or creat\$5) near10 (virtual\$ adj (processor\$ or peripheral)) same (bootup\$ or BIOS)	US-PGPUB; USPAT	OR	OFF	2008/01/17 15:44
S14	1039	(prevent\$ or disabl\$5) near10 (processor\$ or (processing adj unit\$5)) same (bootup\$ or BIOS or OS or (operating\$ adj system\$2))	US-PGPUB; USPAT	OR	OFF	2008/01/17 15:58
S15	3691	710/8,10,9,13,15,17.ccls.	US-PGPUB; USPAT	OR	OFF	2008/01/17 16:01
S16	21	S15 and S14	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:33
S17	27	(prevent\$ or disbal\$5) near10 (processing adj (unit\$5 or core \$2)) near10 (peripheral\$)	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:40
S18	0	S17 and S15	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:35
S19	808	(describ\$ or use\$3 or convert \$) near10 (processing adj (unit \$5 or core\$2)) near10 (peripheral\$)	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:43
S20	28	S19 and S15	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:43
S21	213	(configur\$) near10 (processing adj (unit\$5 or core \$2)) near10 (peripheral\$)	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:52
S22	16	S21 and S15	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:51
S23	7376	"718".clas.	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:51
S24	9	S21 and "718"	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:51
S25	1	S21 and S23	US-PGPUB; USPAT	OR	OFF	2008/01/17 17:51
S26	273	(configur\$5 or describ\$5 or defin\$5 or specify\$5) near10 (processing adj (unit\$5 or core \$2)) near10 (peripheral\$)	US-PGPUB; USPAT	OR	OFF	2008/01/17 18:19

S27	11	S26 and ((prevent\$ or disable\$ or block\$) near10 (peripheral\$) near10 (processing adj (unit\$2 or core\$)) same access\$)	US-PGPUB; USPAT	OR	OFF	2008/01/17 18:15
S28	3	S26 and (prevent\$ or disable\$) near10 (peripheral\$) near10 (processing adj (unit\$2 or core\$) same (access\$ or use\$4))	US-PGPUB; USPAT	OR	OFF	2008/01/17 18:23
S29	5	(US-6823516-\$ or US-6112311-\$ or US-6282596-\$ or US-6457069-\$ or US-6546483-\$).did.	USPAT	OR	OFF	2008/02/06 16:18
S30	1	"20050188373".pn.	US-PGPUB; USPAT	OR	OFF	2008/02/06 17:42
S31	1	"6546483".pn.	US-PGPUB; USPAT	OR	OFF	2008/02/06 18:49
S32	1	"6457069".pn.	US-PGPUB; USPAT	OR	OFF	2008/02/07 10:38
S33	2833	reconfig\$ same processor same device	US-PGPUB; USPAT	OR	OFF	2008/08/21 15:13
S34	8267	"718".clas.	US-PGPUB; USPAT	OR	OFF	2008/08/21 15:13
S35	41	S34 and S33	US-PGPUB; USPAT	OR	OFF	2008/08/21 15:13
S36	18	S35 and ((prevent or block or disable) same processor)	US-PGPUB; USPAT	OR	OFF	2008/08/21 15:16
S37	153	(reconfig\$ near5 processor) same (function) same device	US-PGPUB; USPAT	OR	OFF	2008/08/21 15:30
S38	3	S34 and S37	US-PGPUB; USPAT	OR	OFF	2008/08/21 15:30
S39	6	S37 and ("710".clas.)	US-PGPUB; USPAT	OR	OFF	2008/08/21 15:32
S40	447	(reconfig\$ or re\$assign) near5 processor same (function)	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:12
S41	285	S40 and ((prevent or block or disable) same processor)	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:12
S42	49	S40 and ((prevent or disable) same processor)	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:13
S43	21	((RAYMOND) near2 (TETRICK)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/21 16:19
S44	1	S43 and (omit)	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:21
S45	4	S43 and (prevent\$)	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:21
S46	1	"6182206".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:26
S47	3	((RAYMOND) near2 (TETRICK)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/08/21 16:27

S48	53	(reconfig\$ or re\$assign) near5 (processing adj (unit or core or element)) same (function)	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:33
S49	66	(prevent\$ near10 (operating \$system or OS)) same (utiliz\$ or use or access\$) same (processor or processing\$unit or processing\$core or processor\$core)	US-PGPUB; USPAT	OR	OFF	2008/08/21 17:14
S50	5	("5251299"   "5898829"   "6138247"   "6240526"   "6931568").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/21 17:32
S51	0	("7251746").URPN.	USPAT	OR	OFF	2008/08/21 17:34
S52	0	programable with (processor or processing\$unit or processor\$core) same peripheral\$device	US-PGPUB; USPAT	OR	OFF	2008/08/21 18:01
S53	49	programable with (processor or processing\$unit or processor\$core) same device	US-PGPUB; USPAT	OR	OFF	2008/08/21 18:01
S54	11318	config\$ near5 processor near5 device	US-PGPUB; USPAT	OR	OFF	2008/08/22 10:06
S55	161	config\$ near5 processor near5 device same device same description	US-PGPUB; USPAT	OR	OFF	2008/08/22 10:07
S56	21	config\$ near5 processor near5 device near4 description	US-PGPUB; USPAT	OR	OFF	2008/08/22 10:07
S57	283	((processing unit) or (processor core) or processor) same (device ID) near4 (device or card)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 10:11
S58	0	(describ\$ or configur\$) near5 (preprocessing unit) near5 (device)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 10:16
S59	0	(describ\$ or configur\$) near10 (preprocessing unit) near10 (device)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 10:17
S60	4216	(describ\$ or configur\$) near10 (processing unit) near10 (device)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 10:17
S61	1530	(describ\$ or configur\$) near5 (processing unit) near5 (device)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 10:17
S62	48	S61 and (device id)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 10:17
S63	0	(multi\$mode near4 processor) near4 programable	US-PGPUB; USPAT	OR	OFF	2008/08/22 10:20
S64	0	(multi\$mode near4 processor) near4 proram\$	US-PGPUB; USPAT	OR	OFF	2008/08/22 10:21

S65	15	(multi\$mode near4 processor) near4 program\$	US-PGPUB; USPAT	OR	OFF	2008/08/22 10:21
S66	3	(describ\$ or configur\$) near5 (processing unit) near5 (device) same (device description)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 10:53
S67	0	(reconfig\$ or modify\$ or chang \$) near5 (processing unit) near5 decription near5 (device description)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 11:10
S68	0	(reconfig\$ or modify\$ or chang \$) near5 ((processor core) or processor) near5 decription near5 (device description)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 11:11
S69	0	(reconfig\$ or modify\$ or chang \$) near5 ((processor core) or processor) near5 (device description)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 11:11
S70	21	(reconfig\$ or modify\$ or chang \$) near5 ((processor core) or processor) near5 (peripheral device)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 11:22
S71	0	(reconfig\$ or modify\$ or chang \$) near5 ((processor core) or processor) near5 (device description)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 11:37
S72	1	(reconfig\$ or modify\$ or chang \$) near10 ((processor core) or (processing unit) or processor) near10 (device description)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 11:38
S73	7	(reconfig\$ or modify\$ or chang \$) same ((processor core) or (processing unit) or processor) same (device description)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 11:38
S74	71	(reconfig\$ or modify\$ or chang \$) same ((processor core) or (processing unit) or processor) same (device (description or ID))	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 11:39
S75	64	S74 not S73	US-PGPUB; USPAT	OR	OFF	2008/08/22 11:41
S76	1755	(disabl\$ or config\$ or prevent \$) same (processor or (processing core) or (processing unit)) near5 (BIOS or boot\$up or Post)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 12:00
S77	795	(disabl\$ or config\$ or prevent \$) near10 (processor or (processing core) or (processing unit)) near5 (BIOS or boot\$up or Post)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 12:00

S78	0	(defin\$ or config\$) same funtion same ((multi\$funtion or multi\$mode) near4 processor)	US-PGPUB; USPAT	OR	OFF	2008/08/22 12:05
S79	0	(defin\$ or config\$) same funtion same ((multi\$function or multi\$mode) near4 (processor or core))	US-PGPUB; USPAT	OR	OFF	2008/08/22 12:05
S80	3	("6546483").URPN.	USPAT	OR	OFF	2008/08/22 12:09
S81	6	("20020019924"   "5909592"   "6233638"   "6308234"   "6353885"   "6367007").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/22 12:30
S82	1055	(prevent\$ or disabl\$) near4 access\$ near4 processor	US-PGPUB; USPAT	OR	OFF	2008/08/22 13:10
S83	43	S82 and (device (descriptio or ID))	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 13:11
S85	2226	(prevent\$ or disabl\$) near4 access\$ near4 (processing (core or unit))	US-PGPUB; USPAT	OR	OFF	2008/08/22 13:16
S86	0	S82 and (device (description))	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 13:16
S87	0	S82 and (device description)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 13:17
S88	66	S85 and (device (description or ID))	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 13:17
S89	87	(prevent\$ or disabl\$) near4 access\$ near4 (processing (core or unit))	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 13:19
S90	2	S89 and (device (description or ID))	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 13:20
S91	0	(prevent\$ or disabl\$) near4 access\$ near4 (processing (core or unit)) same BIOS	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 13:21
S92	0	programable with (processor or processing\$unit or processor\$core) same function same (pheripheral)	US-PGPUB; USPAT	OR	OFF	2008/08/22 13:28
S93	0	programable with (processor or processing\$unit or processor\$core) same (pheripheral)	US-PGPUB; USPAT	OR	OFF	2008/08/22 13:28
S94	3	programable with (processor or processing\$unit or processor\$core) same (peripheral)	US-PGPUB; USPAT	OR	OFF	2008/08/22 13:28
S95	0	(prevent\$ or disabl\$) near4 access\$ near4 (processing (core or unit)) same (ost or publish)	US-PGPUB; USPAT	ADJ	OFF	2008/08/22 13:30

S96	30	modify same processor same function same post	US-PGPUB; USPAT	OR	OFF	2008/08/22 13:31
S97	0	device\$description same config \$ same processor	US-PGPUB; USPAT	OR	OFF	2008/08/22 14:29
S98	0	device\$description same modify\$ same processor	US-PGPUB; USPAT	OR	OFF	2008/08/22 14:29
S99	0	device\$description same describ\$ same processor	US-PGPUB; USPAT	OR	OFF	2008/08/22 14:29
S100	1	"5835775".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:52
S102	0	processor with driver \$description	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:57
S106	592	(processor with driver) same peripheral same device	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:58
S107	122	S106 and (processor with function)	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:58
S108	122	S106 and (processor with function and driver)	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:58
S109	0	S108 and (driver same select4)	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:59
S110	64	S108 and (driver same select \$)	US-PGPUB; USPAT	OR	OFF	2008/08/25 16:59
S111	718	multi\$core and PCI	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:40
S112	0	S100 and driver	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:41
S113	227	S111 and driver	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:41
S114	1	S113 and (device\$ID)	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:41
S115	1	"5734847".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:43
S116	21	spare near processor same device	US-PGPUB; USPAT	OR	OFF	2008/08/25 17:59

8/ 28/ 2008 7:29:52 PM

C:\Documents and Settings\akawsar\My Documents\EAST\Workspaces\case 10813794.wsp